
Benepali™ Pre-Filled Syringe

Quick Use Guide

This quick use guide is a shortened version of the patient information leaflet. These instructions are supplied as a guide only. **Please read the full patient information leaflet before you use your syringe for the first time.**¹

REMOVE THE PRE-FILLED SYRINGE FROM THE REFRIGERATOR 15-30 MINS PRIOR TO INJECTION TO REDUCE PAIN.

CHOOSE AN INJECTION SITE



THE BENEPALI[™] PRE-FILLED SYRINGE IS FOR A SUBCUTANEOUS INJECTION. IT SHOULD BE INJECTED INTO THE THIGH, ABDOMEN, OR BACK OF THE UPPER ARM. ROTATE THE SITE FOR EACH INJECTION.

If you are injecting into the abdomen, choose a site that is at least 5 cm away from the belly button.


Do not inject into areas that are red, hard, bruised, or tender.

Do not inject into scars or stretch marks.

If you have psoriasis, **do not** inject into any raised, thick, red, or scaly skin patches, or lesions.




1 WASH YOUR HANDS WITH SOAP AND WATER.



2 WIPE THE SKIN AT THE INJECTION SITE WITH AN ALCOHOL SWAB.

Do not touch this area again before giving the injection.




3 PULL THE NEEDLE COVER STRAIGHT OFF AND DISPOSE OF IT IN THE BIN OR SHARPS CONTAINER.

- **Do not** twist or bend the needle cap while removing it, as this may damage the needle.
- Do not touch the plunger rod while removing the needle cover.
- Never recap the needle.




Benepali™ Pre-Filled Syringe


Quick Use Guide (cont.)



- 4 | GENTLY PINCH A FOLD OF SKIN AT THE CLEANED INJECTION SITE. HOLD THE PRE-FILLED SYRINGE AT 45 DEGREES TO THE SKIN. WITH A QUICK, DART-LIKE MOTION, INSERT THE NEEDLE FULLY INTO THE SKIN.
- You can let go of the skin that you are pinching after the needle is completely inserted.



5 SLOWLY PUSH DOWN THE PLUNGER TO INJECT ALL OF THE BENEPALI™ SOLUTION.



- **6** WHEN THE SYRINGE IS EMPTY, REMOVE THE NEEDLE FROM THE SKIN AT THE SAME ANGLE AS INSERTED.
- Never recap the needle. Recapping could lead to a needle stick injury.

DISPOSAL



DISPOSE OF THE ENTIRE SYRINGE IN AN APPROVED SHARPS CONTAINER

Check with your healthcare provider for instructions on how to properly dispose a filled sharps container.

Do not throw the sharps container in household bin.

Do not recycle.

Do not reuse Benepali pre-filled syringe.

Always keep the container out of the sight and reach of children.

Adverse events should be reported.

To report an adverse event please use the relevant telephone contact numbers you will find here. Alternatively, email: medinfo.europe@biogen.com

References:

1. Benepali™ Patient Information Leaflet. https://www.ema.europa.eu/en/documents/product-information/benepali-epar product-information_en.pdf Accessed: March 2021. _____



België/Belgique/Belgien Biogen Belgium NV/S.A Tél/Tel: + 32 (0)2 808 5947

БЪЛГАРИЯ Ewopharma AG Representative Office TeA: + 359 249 176 81

Česká republika Biogen (Czech Republic) s.r.o. Tel: + 420 228 884 152

Danmark Biogen (Denmark) A/S Tlf: + 45 78 79 37 53

Deutschland Biogen GmbH Tel: + 49 (0)30 223 864 72

Eesti Ewopharma AG Eesti filiaal Tel: + 372 6 68 30 56

ΕΛΛΆΔΑ Genesis Pharma S.A. ΤΗΛ: + 30 211 176 8555

España Biogen Spain, S.L. Tel: + 34 931 790 519

France Biogen France SAS Tél: + 33 (0)1 776 968 14

Hrvatska Ewopharma d.o.o Tel: + 385 (0)1777 64 37

Ireland Biogen Idec (Ireland) Ltd. Tel: +353 (0)1 513 33 33

Ísland Icepharma hf. Sími: + 354 800 9836

Italia Biogen Italia s.r.l. Tel: + 39 (0)6 899 701 50

KÝIPOC Genesis Pharma (Cyprus) Ltd THA: + 357 22 00 04 93

Latvija Ewopharma AG pārstāvniecība Tel: + 371 66 16 40 32 **Lietuva** Ewopharma AG Atstovybė Tel: +370 52 14 02 60

Luxembourg/Luxemburg Biogen Belgium NV/SA Tél/Tel: +35 227 772 038

Magyarország Biogen Hungary Kft. Tel: + 36 (0)6 1 848 04 64

Malta Pharma.MT Ltd Tel: + 356 27 78 15 79

Nederland Biogen Netherlands B.V. Tel: + 31 (0)20 808 02 70

Norge Biogen Norway AS Tlf: + 47 21 93 95 87

Österreich Biogen Austria GmbH Tel: + 43 (0)1 267 51 42

Polska Biogen Poland Sp. z o.o. Tel.: + 48 22 116 86 94

Portugal Biogen Portugal Sociedade Farmacêutica Unipessoal, Lda Tel: + 351 308 800 792

România Ewopharma AG Representative Office Tel: + 40 377 881 045

Slovenija Biogen Pharma d.o.o. Tel: + 386 (0)1 888 81 07

Slovenská republika Biogen Slovakia s.r.o. Tel: + 421 (0)2 333 257 10

Suomi/Finland Biogen Finland Oy Puh/Tel: + 358 (0)9 427 041 08

Sverige Biogen Sweden AB Tel: +46 (0)8 525 038 36

United Kingdom Biogen Idec Limited Tel: +44 (0)20 360 886 22